

MONOCLONAL ANTIBODY				
Alexa Fluor <sup>®</sup> 488 labeled Rat IgG1 isotype control				
Code No. M080-A48	Clone 1H5	Subclass Rat IgG1	Quantity 100 μg	Concentration 1 mg/mL

- **SOURCE:** This antibody was purified from hybridoma (clone 1H5) supernatant using protein G agarose. This hybridoma was established by fusion of mouse myeloma cell P3U1 with rat lymph nodes immunized with KLH.
- **FORMULATION:** 100  $\mu$ g IgG in 100  $\mu$ L volume of PBS containing 1% BSA and 0.09% NaN<sub>3</sub>.
  - \*Azide may react with copper or lead in plumbing system to form explosive metal azides. Therefore, always flush plenty of water when disposing materials containing azide into drain.
- **STORAGE:** This antibody solution is stable for one year from the date of purchase when stored at 4°C.
- **REACTIVITY:** No specific binding is detected on mouse splenocytes.


# **APPLICATION:**

<u>Flow cytometry</u>; This antibody can be used as a negative isotypic control. The concentration will depend on the conditions.

Detailed procedure is provided in the following **PROTOCOL**.

## **INTENDED USE:**

For Research Use Only. Not for use in diagnostic procedures.



Flow cytometric analysis of rat IgG1 reactivity on mouse splenocytes.

## PROTOCOL: Flow cvtometric analysis for floating cells

We usually use Fisher tubes or equivalents as reaction tubes for all steps described below.

- 1) Wash the cells 3 times with washing buffer [PBS containing 2% fetal calf serum (FCS) and 0.1% NaN<sub>3</sub>].
- 2) Resuspend the cells with washing buffer ( $6x10^6$  cells/mL).

- 3) Add 50  $\mu$ L of the cell suspension into each tube, and centrifuge at 500 x g for 1 minute at room temperature (20~25°C). Remove supernatant by careful aspiration.
- 4) Add 10  $\mu$ L of normal goat serum to the cell pellet after tapping. Mix well and incubate for 10 minutes at room temperature.
- 5) Add the isotype control antibody at the concentrations comparable to those of the specific antibody of interest. Mix well and incubate for 30 minutes at room temperature.
- 6) Add 1 mL of the washing buffer followed by centrifugation at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 7) Resuspend the cells with 500  $\mu$ L of the washing buffer and analyze by a flow cytometer.

# **RELATED PRODUCTS:**

RELATED PRODUCTS:		
M075-3	Mouse IgG1 isotype control (2E12)	
M075-4	FITC labeled Mouse IgG1 isotype control (2E12)	
M075-5	PE labeled Mouse IgG1 isotype control (2E12)	
M075-8	Agarose conjugated Mouse IgG1 isotype control (2E12)	
M075-A48	Alexa Fluor <sup>®</sup> 488 labeled Mouse IgG1 isotype control (2E12)	
M075-A64	Alexa Fluor <sup>®</sup> 647 labeled Mouse IgG1 isotype control (2E12)	
M076-3	Mouse IgG2a isotype control (6H3)	
M076-4	FITC labeled Mouse IgG2a isotype control (6H3)	
M076-5	PE labeled Mouse IgG2a isotype control (6H3)	
M076-A48	Alexa Fluor <sup>®</sup> 488 labeled Mouse IgG2a isotype control (6H3)	
M076-A64	Alexa Fluor <sup>®</sup> 647 labeled Mouse IgG2a isotype control (6H3)	
M077-3	Mouse IgG2b isotype control (3D12)	
M077-4	FITC labeled Mouse IgG2b isotype control (3D12)	
M077-5	PE labeled Mouse IgG2b isotype control (3D12)	
M077-A48	Alexa Fluor <sup>®</sup> 488 labeled Mouse IgG2b isotype control (3D12)	
M077-A64	Alexa Fluor <sup>®</sup> 647 labeled Mouse IgG2b isotype control (3D12)	
M078-3	Mouse IgG3 isotype control (6A3)	
M078-4	FITC labeled Mouse IgG3 isotype control (6A3)	
M079-3	Mouse IgM isotype control (7E10)	
M080-3	Rat IgG1 isotype control (1H5)	
M080-4	FITC labeled Rat IgG1 isotype control (1H5)	
M080-5	PE labeled Rat IgG1 isotype control (1H5)	
M080-A48	Alexa Fluor <sup>®</sup> 488 labeled Rat IgG1 isotype control (1H5)	
M081-3	Rat IgG2a isotype control (2H3)	
M081-4	FITC labeled Rat IgG2a isotype control (2H3)	
M081-5	PE labeled Rat IgG2a isotype control (2H3)	
M081-8	Agarose conjugated Rat IgG2a isotype control (2H3)	
M081-A48	Alexa Fluor <sup>®</sup> 488 labeled Rat IgG2a isotype control (2H3)	
M090-3	Rat IgG2b isotype control (3G8)	
M090-4	FITC labeled Rat IgG2b isotype control (3G8)	
M090-5	PE labeled Rat IgG2b isotype control (3G8)	
M090-A48	Alexa Fluor <sup>®</sup> 488 labeled Rat IgG2b isotype control (3G8)	
M082-3	Rat IgG2c isotype control (6E12)	

MBL MEDICAL & BIOLOGICAL LABORATORIES CO., LTD. URL https://ruo.mbl.co.jp e-mail support@mbl.co.jp, TEL 052-238-1904

#### M80-A48 Page 2 of 2

- M082-4 FITC labeled Rat IgG2c isotype control (6E12)
- PM035-8 Agarose conjugated Normal Rabbit IgG (polyclonal)

090918-1.1

#### LABEL LICENSES:

This product is provided under an agreement between LIFE TECHNOLOGIES Corporation, and Medical & Biological Laboratories Co., LTD, and the manufacture, use, sale or import of this product may be subject to one or more U.S. patents, pending applications, and corresponding non-U.S. equivalents, owned by or licensed to LIFE TECHNOLOGIES Corporation. For information on purchasing a license to this product for any other use, contact LIFE TECHNOLOGIES Corporation, Molecular Probes Detection Technologies, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, USA, Tel: (541) 465-8300. Fax: (541) 335-0504.