For Research Use Only. Not for use in diagnostic procedures.



MONOCLONAL ANTIBODY

Mouse CD300a/d (MAIR-I/II)

Code No. Clone Subclass Quantity Concentration D178-3 TX10 Rat IgG1 100 µg 1 mg/mL

BACKGROUND: Immune responses are regulated by opposing positive and negative signals triggered by the interaction of activating and inhibitory cell surface receptors with their ligands. Shibuya et al. identified novel paired activated and inhibitory immunoglobulin-like myeloid-associated designated receptors, immunoglobulin-like receptor (MAIR) I and MAIR-II, whose extracellular domains are highly conserved by each other. MAIR-I, expressed on the majority of myeloid cells, including macrophages, granulocytes, mast cells, and dendritic cells, contains the tyrosine-based sorting motif the immunoreceptor tyrosine-based inhibitory motif-like sequences in the cytoplasmic domains. On the other hand, MAIR-II, expressed on subsets of peritoneal macrophages and B cells, associates with the immunoreceptor tyrosine-based activation motif-bearing adaptor DAP12. MAIR-I is also known as CD300a/ CMRF-35-like Ig-like molecule-8 (CLM-8)/leukocyte mono-Ig-like receptor 1 (LMIR1). MAIR-II is also known as CD300d/LMIR2/CLM-4/dendritic cell-derived Ig-like receptor 1 (DIgR1).

SOURCE: This antibody was purified from hybridoma (clone TX10) supernatant using protein G agarose. This hybridoma was established by fusion of mouse myeloma cell Sp2/0 with Wister rat lymphocyte immunized with the mouse MAIR-II transfected Ba/F3 cells.

FORMULATION: 100 μg IgG in 100 μL volume of PBS containing 50% glycerol, pH 7.2. No preservative is contained.

STORAGE: This antibody solution is stable for one year from the date of purchase when stored at -20°C.

REACTIVITY: This antibody reacts with mouse CD300a/d antigen on Flow cytometry.

APPLICATIONS:

Western blotting; Not tested*

*It is reported that TX10 can be used in Western blotting in the reference number 3).

Immunoprecipitation; Not tested*

*It is reported that TX10 can be used in Immunoprecipitation in the reference number 2).

<u>Immunohistochemistry</u>; Not tested <u>Immunocytochemistry</u>; Not tested

Flow cytometry; 5-10 µg/mL (final concentration)

Detailed procedure is provided in the following **PROTOCOLS**.

SPECIES CROSS REACTIVITY:

Species	Human	Mouse	Rat
Cell	Not Tested	WEHI-3B	Not Tested
Reactivity on FCM		+	

INTENDED USE:

For Research Use Only. Not for use in diagnostic procedures.

REFERENCES:

- 1) Nakahashi, C., et al., J. Immunol. 178, 765-770 (2007)
- 2) Okoshi, Y., et al., Int. Immunol. 17, 65-72 (2005)
- 3) Yotsumoto, K., et al., J. Exp. Med. 198, 223-233 (2003)

Clone TX10 is used in reference number 2) and 3).

RELATED PRODUCTS:


D177-3 Mouse CD300a/MAIR-I (TX40)

D177-4 FITC labeled Mouse CD300a/MAIR-I (TX40)

D178-3 Mouse CD300a/d (MAIR-I/II) (TX10)

D178-4 FITC labeled Mouse CD300a/d (MAIR-I/II) (TX10)

D179-3 CD300d/MAIR-II (TX47)



Flow cytometric analysis of mouse CD300a/d expression on WEHI-3B cells. Open histogram indicates the reaction of isotypic control to the cells. Shaded histogram indicates the reaction of D178-3 to the cells.

PROTOCOLS:

Flow cytometric analysis for floating cells

We usually use Fisher tubes or equivalents as reaction tubes for all steps described below.

- 1) Wash the cells 3 times with washing buffer [PBS containing 2% fetal calf serum (FCS) and 0.1% NaN₃].
- 2) Resuspend the cells with washing buffer (5 x 10⁶ cells/mL).
- 3) Add 50 μL of the cell suspension into each tube, and centrifuge at 500 x g for 1 minute at room temperature (20~25°C). Remove supernatant by careful aspiration.
- 4) Add 10 μL of normal goat serum containing 1 mg/mL normal human IgG and 0.1% NaN₃ to the cell pellet after tapping. Mix well and incubate for 5 minutes at room temperature.
- 5) Add 40 μ L of the primary antibody at the concentration as suggest in the **APPLICATIONS** diluted in the washing buffer. Mix well and incubate for 30 minutes at room temperature.
- 6) Add 1 mL of the washing buffer followed by centrifugation at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 7) Add 30 μ L of 1:100 PE conjugated anti-rat IgG (MBL; code no. IM-1623) diluted with the washing buffer. Mix well and incubate for 15 minutes at room temperature.
- 8) Add 1 mL of the washing buffer followed by centrifugation at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 9) Resuspend the cells with 500 μL of the washing buffer and analyze by a flow cytometer.

(Positive control for Flow cytometry; WEHI-3B)

Flow cytometric analysis for whole blood cells

We usually use Falcon tubes or equivalents as reaction tubes for all steps described below.

- 1) Add 50 μL of mouse CD300a/d monoclonal antibody (TX10) at the concentration as suggest in the **APPLICATIONS** diluted in the washing buffer [PBS containing 2% fetal calf serum (FCS) and 0.1% NaN₃] into each tube.
- 2) Add 50 μ L of whole blood into each tube. Mix well, and incubate for 30 minutes at room temperature (20~25 °C).
- 3) Add 1 mL of washing buffer followed by centrifugation at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 4) Add 30 μL of 1:100 PE conjugated anti-rat IgG (MBL; code no. IM-1623) diluted with washing buffer. Mix well and incubate for 15 minutes at room temperature.
- 5) Add 1 mL of washing buffer followed by centrifugation at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 6) Lyse with OptiLyse C (for analysis on Beckman Coulter instruments) or OptiLyse B (for analysis on BD instruments), using the procedure recommended in the respective package inserts.
- 7) Add 1 mL of H₂O to each tube and incubate for 10 minutes at room temperature.

- 8) Centrifuge at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 9) Add 1 mL of washing buffer followed by centrifugation at 500 x g for 1 minute at room temperature. Remove supernatant by careful aspiration.
- 10) Resuspend the cells with 500 μL of the washing buffer and analyze by a flow cytometer.