

For Research Use Only.
Not for use in diagnostic procedures.



 **My select** sampler set

Anti-p62 (SQSTM1) (Human) mAb -Alexa Fluor[®] 594

CODE No. M162-A59MS
CLONALITY Monoclonal
CLONE 5F2
ISOTYPE Mouse IgG1 κ
QUANTITY 20 μ L, 1 mg/mL

SOURCE Purified IgG from hybridoma supernatant
IMMUNOGEN Human p62, 120-440 aa (recombinant)
FORMURATION PBS containing 1% BSA and 0.09% NaN₃.

*Azide may react with copper or lead in plumbing system to form explosive metal azides. Therefore, always flush plenty of water when disposing materials containing azide into drain.

STORAGE This antibody solution is stable for one year from the date of purchase when stored at 4°C.

APPLICATIONS-CONFIRMED

Immunocytochemistry 5 μ g/mL

SPECIES CROSS REACTIVITY on IC

Species	Human	Mouse	Rat	Hamster
Cells	A549	Not tested	Not tested	Not tested
Reactivity	+			

Entrez Gene ID 8878 (Human)

REFERENCES
1) Ichimura, Y., *et al.*, *J. Biol. Chem.* **283**, 22847-22857 (2008)
2) Komatsu, M., *et al.*, *Cell* **131**, 1149-1163 (2007)

For more information, please visit our web site <http://ruo.mbl.co.jp/>

LABEL LICENSES:

This product is provided under an agreement between LIFE TECHNOLOGIES Corporation, and Medical & Biological Laboratories Co., LTD, and the manufacture, use, sale or import of this product may be subject to one or more U.S. patents, pending applications, and corresponding non-U.S. equivalents, owned by or licensed to LIFE TECHNOLOGIES Corporation. For information on purchasing a license to this product for any other use, contact LIFE TECHNOLOGIES Corporation, Molecular Probes Detection Technologies, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, USA, Tel: (541) 465-8300. Fax: (541) 335-0504.

Alexa Fluor[®] is a registered trademark of Molecular Probes, Inc.



MEDICAL & BIOLOGICAL LABORATORIES CO., LTD.

URL <http://ruo.mbl.co.jp/>

e-mail support@mbi.co.jp, TEL 052-238-1904

RELATED PRODUCTSAntibodies

PM036	Anti-LC3 pAb	[WB, IP, IC, IHC, FCM]
M152-3	Anti-LC3 mAb (4E12)	[WB, IP, IC, FCM, EM]
M186-3	Anti-LC3 mAb (8E10)	[WB]
PD014	Anti-LC3 pAb	[WB]
PD015	Anti-LC3 pAb	[IC]
PM046	Anti-LC3 pAb	[WB, IC]
M115-3	Anti-LC3 mAb (51-11)	[WB]
PM045	Anti-p62 (SQSTM1) pAb	
M162-3	Anti-p62 (SQSTM1) (Human) mAb (5F2)	
M162-A48	Anti-p62 (SQSTM1) (Human) mAb -Alexa Fluor [®] 488 (5F2)	
M162-A59	Anti-p62 (SQSTM1) (Human) mAb -Alexa Fluor [®] 594 (5F2)	
M162-A64	Anti-p62 (SQSTM1) (Human) mAb -Alexa Fluor [®] 647 (5F2)	
PM066	Anti-p62 C-terminal pAb	
PD017	Anti-Beclin 1 pAb	
PM037	Anti-GABARAP pAb	
M135-3	Anti-GABARAP mAb (1F4)	
PM038	Anti-GATE-16 pAb	
PD041	Anti-Atg2A pAb	
PM034	Anti-Atg3 pAb	
M133-3	Anti-Atg3 mAb (3E8)	
M134-3	Anti-Atg4B mAb (9H5)	
PM050	Anti-Atg5 pAb	
M153-3	Anti-Atg5 mAb (4D3)	
PM039	Anti-Atg7 (Human) pAb	
PD042	Anti-Atg9A pAb	
M151-3	Anti-Atg10 (Human) mAb (5A7)	
M154-3	Anti-Atg12 (Human) mAb (6E5)	
PD036	Anti-Atg13 (Human) pAb	
M183-3	Anti-Atg13 mAb (5G4)	
PD026	Anti-Atg14 pAb	
M184-3	Anti-Atg14 (Human) mAb (4H8)	
PM040	Anti-Atg16L pAb	
M150-3	Anti-Atg16L mAb (1F12)	
M160-3	Anti-UVRAG mAb (1H4)	
PD027	Anti-Rubicon (Human) pAb	
M170-3	Anti-Rubicon (Human) mAb (1H6)	
PM069	Anti-NRF2 pAb	
M200-3	Anti-NRF2 mAb (1F2)	
PD037	Anti-Tel2 pAb	
PM072	Anti-VMP1 pAb	

M175-3	Anti- α -Tubulin mAb (2F9)	
M175-A48	Anti- α -Tubulin mAb-Alexa Fluor [®] 488 (2F9)	
M175-A59	Anti- α -Tubulin mAb-Alexa Fluor [®] 594 (2F9)	
M175-A64	Anti- α -Tubulin mAb-Alexa Fluor [®] 647 (2F9)	
PM054	Anti- α -Tubulin pAb	
PM054-7	Anti- α -Tubulin pAb-HRP-Direct	
M176-3	Anti-EEA1 mAb (3C10)	
M176-A48	Anti-EEA1 mAb-Alexa Fluor [®] 488 (3C10)	
M176-A59	Anti-EEA1 mAb-Alexa Fluor [®] 594 (3C10)	
M176-A64	Anti-EEA1 mAb-Alexa Fluor [®] 647 (3C10)	
PM062	Anti-EEA1 pAb	
M178-3	Anti-Calnexin mAb (4F10)	
M178-A48	Anti-Calnexin mAb-Alexa Fluor [®] 488 (4F10)	
M178-A59	Anti-Calnexin mAb-Alexa Fluor [®] 594 (4F10)	

M178-A64	Anti-Calnexin mAb-Alexa Fluor [®] 647 (4F10)	
PM060	Anti-Calnexin pAb	
M181-3	Anti-KDEL mAb (1D5)	
PM059	Anti-KDEL pAb	
M179-3	Anti-GM130 mAb (5G8)	
M179-A48	Anti-GM130 mAb-Alexa Fluor [®] 488 (5G8)	
M179-A59	Anti-GM130 mAb-Alexa Fluor [®] 594 (5G8)	
M179-A64	Anti-GM130 mAb-Alexa Fluor [®] 647 (5G8)	
PM061	Anti-GM130 pAb	
PM063	Anti-COX4 pAb	
PM064	Anti-Lamin B1 pAb	

Kits

8485	Autophagy Ab Sampler Set
PM036-PN	Positive control for anti-LC3 antibody


WB: Western blotting
 IP: Immunoprecipitation
 IC: Immunocytochemistry
 IHC: Immunohistochemistry
 FCM: Flow cytometry
 EM: Immuno-electron microscopy

Other related antibodies and kits are also available.
 Please visit our web site at <http://ruo.mbl.co.jp>

Immunocytochemistry

- 1) Spread the cells in the nutrient condition on a glass slide, then incubate in a CO₂ incubator for one night.
- 2) Remove the culture supernatant by careful aspiration.
- 3) Fix the cells by immersing the slide in 4% paraformaldehyde (PFA)/PBS for 10 minutes at room temperature (20~25°C).
- 4) Prepare a wash container such as a 500 mL beaker with a magnetic stirrer. Then wash the fixed cells on the glass slide by soaking the slide with a plenty of PBS in the wash container for 5 minutes. Take care not to touch the cells. Repeat another wash once more.
- 5) Immerse the slide in 100 µg/mL digitonin in PBS for 10 minutes at room temperature.
- 6) Wash the slide in a plenty of PBS as in the step 4).
- 7) Add 200 µL of Clear Back (human Fc receptor blocking reagent, MBL; code no. MTG-001) onto the cells and incubate for 5 minutes at room temperature.
- 8) Add 200 µL of the primary antibody diluted with 2% fetal calf serum (FCS)/PBS as suggested in the **APPLICATIONS** onto the cells and incubate for 60 minutes at room temperature. (Optimization of antibody concentration or incubation condition is recommended if necessary.)
- 9) Wash the slide in a plenty of PBS as in the step 4).
- 10) Promptly add mounting medium onto the slide, then put a cover slip on it.

(Positive control for Immunocytochemistry; A549)



Immunocytochemical detection of p62 in A549

Upper: Starved A549

Lower: Nutrient A549