

販売中止のご案内

MBL 製品 一部販売中止のご案内

(My select sampler set 製品 64 品目)

お客様各位

拝啓 時下ますますご清祥のこととお慶び申し上げます。

平素は当社製品に対しまして、格別のお引き立てを賜り、厚く御礼申し上げます。

このたび、My select sampler set 製品として販売しておりました別紙 64 品目につきまして、販売終了とさせていただきますので、謹んでご案内申し上げます。なお、代替となる容量違いの製品は販売を継続いたします。

お客様には大変ご迷惑をお掛けいたしますが、ご理解賜りますよう何卒よろしくお願い申し上げます。

敬具

2023 年 7 月

販売中止日： 2023 年 8 月 31 日

在庫なくなり次第、販売終了とさせていただきます。

対象製品： 別紙をご参照ください。

【価格・在庫に関するお問合せ先】

(物流統括部 第一グループ) TEL : 0265-93-1707 E-mail : mbl-hanbaikanri@mbl.co.jp

【製品に関するお問合せ先】

(学術部) TEL : 03-6854-3614 E-mail : support@mbl.co.jp

別紙：販売中止製品／代替製品一覧

販売中止製品			代替製品		
製品コード	製品名	容量		製品コード	容量
562MS	Anti-Myc-tag pAb for My select sampler set	20 µL	→	562	100 µL
D115-3MS	Anti-CENP-A (Human) mAb for My select sampler set	20 µg/20 µL	→	D115-3	100 µg/100 µL
D153-11MS	Anti-GFP mAb-Magnetic Beads for My select sampler set	4 tests	→	D153-11	20 tests
D153-3MS	Anti-GFP mAb for My select sampler set	20 µg/20 µL	→	D153-3	100 µg/100 µL
D291-11MS	Anti-His-tag mAb-Magnetic Beads for My select sampler set	4 tests	→	D291-11	20 tests
M047-11MS	Anti-Myc-tag mAb-Magnetic Beads for My select sampler set	4 tests	→	M047-11	20 tests
M047-3MS	Anti-Myc-tag mAb for My select sampler set	40 µg/20 µL	→	M047-3	200 µg/100 µL
M089-3MS	Anti-His-tag mAb for My select sampler set	20 µg/20 µL	→	M089-3	100 µg/100 µL
M132-3MS	Anti-HA-tag mAb for My select sampler set	40 µg/20 µL	→	M132-3	200 µg/100 µL
M133-3MS	Anti-Atg3 mAb for My select sampler set	20 µg/20 µL	→	M133-3	100 µg/100 µL
M134-3MS	Anti-Atg4B mAb for My select sampler set	20 µg/20 µL	→	M134-3	100 µg/100 µL
M135-3MS	Anti-GABARAP mAb for My select sampler set	20 µg/20 µL	→	M135-3	100 µg/100 µL
M136-3MS	Anti-His-tag mAb for My select sampler set	20 µg/20 µL	→	M136-3	100 µg/100 µL
M150-3MS	Anti-Atg16L mAb for My select sampler set	20 µg/20 µL	→	M150-3	100 µg/100 µL
M151-3MS	Anti-Atg10 (Human) mAb for My select sampler set	20 µg/20 µL	→	M151-3	100 µg/100 µL
M153-3MS	Anti-Atg5 mAb for My select sampler set	20 µg/20 µL	→	M153-3	100 µg/100 µL
M154-3MS	Anti-Atg12 (Human) mAb for My select sampler set	20 µg/20 µL	→	M154-3	100 µg/100 µL
M155-3MS	Anti-RFP mAb for My select sampler set	20 µg/20 µL	→	M155-3	100 µg/100 µL
M160-3MS	Anti-UVRAG mAb for My select sampler set	20 µg/20 µL	→	M160-3	100 µg/100 µL
M162-A48MS	Anti-p62 (SQSTM1) mAb-Alexa Fluor 488 for My select sampler set	20 µg/20 µL	→	M162-A48	100 µg/100 µL
M162-A59MS	Anti-p62 (SQSTM1) mAb-Alexa Fluor 594 for My select sampler set	20 µg/20 µL	→	M162-A59	100 µg/100 µL
M162-A64MS	Anti-p62 (SQSTM1) mAb-Alexa Fluor 647 for My select sampler set	20 µg/20 µL	→	M162-A64	100 µg/100 µL
M170-3MS	Anti-Rubicon (Human) mAb for My select sampler set	20 µg/20 µL	→	M170-3	100 µg/100 µL
M171-3MS	Anti-GAPDH mAb for My select sampler set	60 µg/20 µL	→	M171-3	300 µg/100 µL
M175-3MS	Anti-α-Tubulin mAb for My select sampler set	40 µg/20 µL	→	M175-3	200 µg/100 µL
M175-A48MS	Anti-α-Tubulin mAb-Alexa Fluor 488 for My select sampler set	20 µg/20 µL	→	M175-A48	100 µg/100 µL
M176-3MS	Anti-EEA1 mAb for My select sampler set	20 µg/20 µL	→	M176-3	100 µg/100 µL
M176-A48MS	Anti-EEA1 mAb-Alexa Fluor 488 for My select sampler set	20 µg/20 µL	→	M176-A48	100 µg/100 µL
M176-A59MS	Anti-EEA1 mAb-Alexa Fluor 594 for My select sampler set	20 µg/20 µL	→	M176-A59	100 µg/100 µL
M176-A64MS	Anti-EEA1 mAb-Alexa Fluor 647 for My select sampler set	20 µg/20 µL	→	M176-A64	100 µg/100 µL
M177-3MS	Anti-β-Actin mAb for My select sampler set	20 µg/20 µL	→	M177-3	100 µg/100 µL
M178-3MS	Anti-Calnexin mAb for My select sampler set	20 µg/20 µL	→	M178-3	100 µg/100 µL
M179-3MS	Anti-GM130 mAb for My select sampler set	20 µg/20 µL	→	M179-3	100 µg/100 µL
M179-A48MS	Anti-GM130 mAb-Alexa Fluor 488 for My select sampler set	20 µg/20 µL	→	M179-A48	100 µg/100 µL
M180-11MS	Anti-HA-tag mAb-Magnetic Beads for My select sampler set	4 tests	→	M180-11	20 tests
M181-3MS	Anti-KDEL mAb for My select sampler set	20 µg/20 µL	→	M181-3	100 µg/100 µL
M184-3MS	Anti-Atg14 (Human) mAb for My select sampler set	20 µg/20 µL	→	M184-3	100 µg/100 µL

M185-11RMS	Anti-DDDDK-tag mAb-Magnetic Beads for My select sampler set	4 tests	→	M185-11R	20 tests
M200-3MS	Anti-NRF2 mAb for My select sampler set	20 µg/20 µL	→	M200-3	100 µg/100 µL
M212-3MS	Anti-Syntaxin-17 (Human) mAb for My select sampler set	20 µg/20 µL	→	M212-3	100 µg/100 µL
M215-11MS	Anti-V5-tag mAb-Magnetic Beads for My select sampler set	4 tests	→	M215-11	20 tests
PD017MS	Anti-Beclin 1 pAb for My select sampler set	20 µL	→	PD017	100 µL
PD026MS	Anti-Atg14 pAb for My select sampler set	20 µL	→	PD026	100 µL
PD027MS	Anti-Rubicon (Human) pAb for My select sampler set	20 µL	→	PD027	100 µL
PD030MS	Anti-CENP-C (Human) pAb for My select sampler set	20 µL	→	PD030	100 µL
PD041MS	Anti-Atg2A pAb for My select sampler set	20 µL	→	PD041	100 µL
PD042MS	Anti-Atg9A pAb for My select sampler set	20 µL	→	PD042	100 µL
PM020MS	Anti-DDDDK-tag pAb for My select sampler set	20 µL	→	PM020	100 µL
PM037MS	Anti-GABARAP pAb for My select sampler set	20 µL	→	PM037	100 µL
PM038MS	Anti-GATE-16 pAb for My select sampler set	20 µL	→	PM038	100 µL
PM039MS	Anti-Atg7 (Human) pAb for My select sampler set	20 µL	→	PM039	100 µL
PM040MS	Anti-Atg16L pAb for My select sampler set	20 µL	→	PM040	100 µL
PM050MS	Anti-Atg5 pAb for My select sampler set	20 µL	→	PM050	100 µL
PM053MS	Anti-β-Actin pAb for My select sampler set	20 µL	→	PM053	100 µL
PM054MS	Anti-α-Tubulin pAb for My select sampler set	20 µL	→	PM054	100 µL
PM059MS	Anti-KDEL pAb for My select sampler set	20 µL	→	PM059	100 µL
PM060MS	Anti-Calnexin pAb for My select sampler set	20 µL	→	PM060	100 µL
PM061MS	Anti-GM130 pAb for My select sampler set	20 µL	→	PM061	100 µL
PM062MS	Anti-EEA1 pAb for My select sampler set	20 µL	→	PM062	100 µL
PM063MS	Anti-COX4 pAb for My select sampler set	20 µL	→	PM063	100 µL
PM064MS	Anti-Lamin B1 pAb for My select sampler set	20 µL	→	PM064	100 µL
PM069MS	Anti-NRF2 pAb for My select sampler set	20 µL	→	PM069	100 µL
PM072MS	Anti-VMP1 pAb for My select sampler set	20 µL	→	PM072	100 µL
PM076MS	Anti-Syntaxin-17 (Human) pAb for My select sampler set	20 µL	→	PM076	100 µL